

Certificate of Analysis

Prepared For: Indy E Cigs Laboratory ID: 2023-08-29-010 Sample ID: Dodi Cube **Date Received:** 8/29/2023 Batch ID: 10Resin/10CBD Fruit Punch **Date Reported:** 9/1/2023 Sample Weight (mg): 4573.03 **Testing Protocol:** Potency Material: **HPLC** Gummy **Testing Method:**



Water Activity pH Moisture Density (g/mL) Terpenes

NT NT NT NT NT

NT

Cannabinoid Potency Analysis

				Analyte
Δ10-THC (R+S)	0.00%			Δ10-ΤΗС
Δ9-ΤΗС		0.	20%	Δ9-ΤΗС
Δ9-ΤΗСΑ	0.00%			Δ9-ΤΗСΑ
Δ8-ΤΗС	0.00%			Δ8-ΤΗС
Δ9-ΤΗСΡ	0.00%			Δ9-ΤΗСΡ
Δ9-THC-O Acetate	0.00%			Δ9-THC-C
HHC (R+S)	0.00%			HHC (R+S
Δ9-THCV	0.00%			$\Delta 9\text{-THCV}$
Δ9-THCVA	0.00%			Δ9-THCV
CBD			0.23%	CBD
CBDA	0.00%			CBDA
CBDV	0.00%			CBDV
CBDVA	0.00%			CBDVA
CBG	0.00%			CBG
CBGA	0.00%			CBGA
CBN	— 0.01%			CBN
CBNA	0.00%			CBNA
CBC	0.00%			CBC
CBCA	0.00%			CBCA

Analyte	LOQ (%)	(%)	(mg/g)	mg/Sample
Δ10-THC (R+S)	0.01	0.00%	0.0	0.0
Δ9-ΤΗС	0.01	0.20%	2.0	9.4
Δ9-ΤΗCΑ	0.01	0.00%	0.0	0.0
Δ8-ΤΗС	0.01	0.00%	0.0	0.0
Δ9-ΤΗСΡ	0.01	0.00%	0.0	0.0
Δ9-THC-O Acetate	0.01	0.00%	0.0	0.0
HHC (R+S)	0.01	0.00%	0.0	0.0
Δ9-THCV	0.01	0.00%	0.0	0.0
Δ9-THCVA	0.01	0.00%	0.0	0.0
CBD	0.01	0.23%	2.3	10.7
CBDA	0.01	0.00%	0.0	0.0
CBDV	0.01	0.00%	0.0	0.0
CBDVA	0.01	0.00%	0.0	0.0
CBG	0.01	0.00%	0.0	0.0
CBGA	0.01	0.00%	0.0	0.0
CBN	0.01	0.01%	0.1	0.7
CBNA	0.01	0.00%	0.0	0.0
CBC	0.01	0.00%	0.0	0.0
CBCA	0.01	0.00%	0.0	0.0
Total		0.45%	4.5	20.8



Agrozen Laboratory Authenticity QR Code Analyst:
Josh Peterson
Date Tested:
8/29/2023

0.45%Total Cannabinoids

0.20%Total THC

0.23% Total CBD

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation, ND= Not Detected, NT = Not Tested, NR = Not Reported, Density tested at a temperature range of 19-24 °C, Water Activity tested at a humidity range of 0-90% relative humidity.

Final Approval:

Jeff A. Peter

Jeff Peterson, Lab Director

Buid Selle

Brian Schroeder, Managing Partner

Date Signed and Approved:

9/1/2023

417 Ransdell Road, Lebanon, IN 46052 (844)-655-6935

agrozenlabs.com



Agrozen Labs provides COA's based on samples received into our facility and analysis according to our SOP's. Tests are completed at our certified testing laboratory through the State of Indiana by certified laboratory technicians. Reference standards and test samples are measured against submitted samples to ensure testing accuracy. Agrozen Labs has generated the information for our client who reserves all rights to the report. The report may not be duplicated, except in full, or altered without written consent from Agrozen Labs.